

## Your 2023 South Pasadena Water Quality Report

#### Introduction

The City of South Pasadena (City) is committed to keeping you informed about the quality of your drinking water. This report is provided to you annually. It includes information describing where your drinking water comes from, the constituents found in your drinking water, and how the water quality compares with the regulatory standards.

# Where Does My Drinking Water Come From?

The water supply for the City comes from three sources: (1) groundwater pumped from wells in the Main San Gabriel Groundwater Basin, (2) surface water imported by Metropolitan Water District of Southern California (Metropolitan) from the Colorado River and from Northern California, and (3) groundwater from the City of Pasadena, which includes Metropolitan water, that is supplied to only the City's Pasadena Zone. Metropolitan filters imported surface water and adds chloramines, a combination of chlorine and ammonia, as a residual disinfectant. The City adds chlorine without ammonia,


# Questions about your water? Contact us for answers.

For more information or questions regarding this report, please contact the Public Works Department at 626-403-7240.

Regularly scheduled meetings of the City of South Pasadena City Council are held on the first and third Wednesday of each month at 7:30 p.m. at 1424 Mission Street, South Pasadena, California 91030. The meetings provide an opportunity for public participation in decisions that may affect the quality of your drinking water.



called free chlorine, to groundwater pumped from wells. A residual amount of free chlorine and chloramines in the distribution system helps prevent microorganisms from growing in the pipes.



City of South Pasadena — Water System Pressure Zone Map

This report contains important information about your drinking water. Translate it, or speak with someone who understands it.

Este informe contiene información muy importante sobre su agua potable. Para más información o traducción, por favor contacte al departamento de obras públicas al 626-403-7240.

此份有關你的食水報告,內有重要資料和訊息,請找 他人為你翻譯及解釋清楚。

## Constant Monitoring Ensures Continued Excellence

### What Is in My Drinking Water?

Your drinking water is tested by certified professional water system operators and certified laboratories to ensure its safety. The City routinely tests drinking water from its wells and distribution system pipes for bacterial and chemical contaminants while Metropolitan is responsible for testing its treated surface water purchased by the City.

The City of Pasadena is responsible for testing its groundwater purchased by the City for only the Pasadena Zone. The chart in this report shows the

average and range of concentrations of the constituents tested in your drinking water during year 2023 or from the most recent tests.

The State Water Resources Control Board, Division of Drinking Water (DDW) allows the City to monitor for some contaminants less than once per year because the concentra-



tions of these contaminants in groundwater do not change frequently. Some of our data, although representative, are more than one year old.

The chart lists all the contaminants **detected** in your drinking water that have federal and state drinking water standards.

Detected unregulated contaminants of interest are also included. We are proud to report that during 2023, the drinking water provided by the City to your home met or surpassed all federal and state drinking water standards. We remain dedicated to providing you with a reliable supply of high quality drinking water.

## What Contaminants May be Present in the Sources of My Drinking Water?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

• Inorganic contaminants, such as salts and metals, that can



be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural

application and septic systems.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the United States Environmental Protection Agency's (USEPA) Safe Drinking Water Hotline (1-800-426-4791).

#### ABOUT SOUTH PASADENA PUBLIC WORKS

## We Provide More Than Just Water!

The Public Works Department is responsible for streets, public buildings, water, sewer systems, street lighting, and park maintenance. For a name change, or to start water service, call the Finance Department at (626) 403-7250.



Because California's main water sources have been severely impacted by record dry conditions in recent years, we encourage everyone to become more conservation conscious.

Visit www.bewaterwise.com to learn more about water savings, and the South Pasadena Environmental Programs website for additional information about water conservation rebates: www.southpasadenaca.gov/rebates.

## We Comply with All State & Federal Water Quality Regulations

### Are There Any Precautions the Public Should Consider?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers.

USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).



## **Drinking Water Fluoridation**

Metropolitan joined a majority of the nation's public water suppliers by adding fluoride to drinking water in order to prevent tooth decay. The average fluoride level in Metropolitan's treated water is 0.7 milligrams per liter (mg/L). The City does not add additional fluoride to the local water because fluoride occurs naturally in groundwater.

As shown on the water quality chart, the average fluoride concentration in the City's groundwater is 0.74 mg/L, while the average fluoride concentration in the City of Pasadena's groundwater that is supplied to only the Pasadena Zone is 0.8 mg/L.

## About Lead in Tap Water

If present, elevated levels of lead can cause serious problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking.

DDW enforces the Lead and Copper Rule, which follows the USEPA's Lead and Copper Rule, and is used to protect the public's drinking water from metals that can adversely affect public health. The Lead and Copper Rule requires water systems to monitor lead and copper levels at the consumers' taps. In accordance



with the Lead and Copper Rule, the City collected the latest lead and copper samples from 30 residences during 2021; lead was detected in the samples collected from three residences but none exceeded the regulatory Action Level, while copper was detected in the samples collected from 23 residences but none exceeded the regulatory Action Level. Therefore, the City is in compliance with the Lead and Copper Rule.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the USEPA Safe Drinking Water Hotline or at www.epa.gov/lead.

## Nitrate in Tap Water

Although nitrate in your drinking water never exceeds the MCL of 10 mg/L, nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity.

Nitrate in drinking water at levels above 10 mg/L is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies.

If you are caring for an infant, or you are pregnant, you should ask for advice from your health care provider.

#### Source Water Assessments


#### Imported (Metropolitan) Water Assessment

Every five years, Metropolitan is required by DDW to examine possible sources of drinking water contamination in its State Water Project and Colorado River source waters.

The most recent watershed sanitary surveys of Metropolitan's source water supplies from the Colorado River was updated in 2020 and the State Water Project was updated in 2021.

Water from the Colorado River is considered to be most vulnerable to contamination from recreation, urban/stormwater runoff, increasing urbanization in the watershed, and wastewater. Water supplies from Northern California's State Water Project are most vulnerable to contamination from urban/stormwater runoff, wildlife, agriculture, recreation, and wastewater.

USEPA also requires
Metropolitan to complete
one Source Water
Assessment (SWA) that
utilizes information
collected in the watershed sanitary surveys.
Metropolitan completed
its SWA in December
2002. The SWA is used
to evaluate the vulner-



ability of water sources to contamination and helps determine whether more protective measures are needed.

A copy of the most recent summary of either Watershed Sanitary Survey or the SWA can be obtained by calling Metropolitan at (800) CALL-MWD (225-5693).

#### Groundwater Assessment

In accordance with the federal Safe Drinking Water Act, an assessment of the drinking water sources for the City was completed in December 2002.

The assessment concluded that the City's groundwater wells are considered most vulnerable to the following activities or facilities associated with contaminants



detected in the water supply: dry cleaners, gasoline stations, automobile repair shops, high density housing and medical/dental office/clinics. In addition, the groundwater wells are considered most vulnerable to the following facility not associated with contaminants detected in the water supply: leaking underground storage tanks.

A copy of the complete assessment is available at the City of South Pasadena Public Works Department at 1414 Mission Street, South Pasadena, California 91030.

You may request a summary of the assessment to be sent to you by contacting the Public Works Department at 626-403-7240.

An assessment of the drinking water sources for the City of Pasadena's water system was completed in August 2002. The wells in the City of Pasadena were found to be most vulnerable to contamination from automobile gasoline stations, repair shops and body shops; underground storage tanks; and military installations. A copy of the complete assessment is available at Pasadena Water and Power, 150 South Los Robles Avenue, Suite 200, Pasadena, California.

## Chart Legend

#### What are Water Quality Standards?

In order to ensure that tap water is safe to drink, the USEPA and DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Drinking water standards established by USEPA and DDW set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The charts in this report show the following types of water quality standards:

- Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.
- Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- Primary Drinking Water Standard: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements and water treatment requirements.
- Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.
- Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.
- Notification Level (NL): An advisory level which, if exceeded, requires the drinking
  water system to notify the governing body of the local agency in which users of the
  drinking water reside (i.e. city council, board of directors, and county board of
  supervisors).

#### What is a Water Quality Goal?

In addition to mandatory water quality standards, USEPA and DDW have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The charts in this report include three types of water quality goals:

- Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by USEPA.
- Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

#### **How are Contaminants Measured?**

Water is sampled and tested throughout the year. Contaminants are measured in:

- parts per million (ppm) or milligrams per liter (mg/L)
   (3 drops in 42 gallons a large bathtub)
- parts per billion (ppb) or micrograms per liter (μg/L) (1 drop in 14,000 gallons – an average swimming pool)
- parts per trillion (ppt) or nanograms per liter (ng/L) (1 drop in 14,000,000 gallons - an average lake)



City of South Pasadena 2023 Water Quality (Table 1 of 2)													
				SOUTH PASADENA GROUNDWATER			PASADENA GROUNDWATER (Pasadena Zone Only)			METROPOLITAN IMPORTED WATER			
Constituents and Measurement Units	MCL or [MRDL]	PHG (MCLG) or [MRDLG]	DLR	Result <sup>(a)</sup>	Range	Most Recent Test	Result <sup>(a)</sup>	Range	Most Recent Test	Result <sup>(a</sup>	Range	Most Recent Test	Typical Origins
Primary Drinking Water Stan	dards – He	alth-Related	d Standa	rds									
Filter Effluent Turbidity (NTU) (b)	TT = 1 NTU									0.06			
	TT = 95% of samples ≤0.3 NTU	f NA	NA		NR			NR		100%	-	Continuous Testing	Soil runoff
Microbiological													
E. coli	(c)	(0)	NA	0 (Highest Nu of Detecti		Weekly	MCL Compliance Determined from Testing in the South Pasadena Distribution System			MCL Compliance Determined from Testing in the South Pasadena Distribution System			Human and animal fecal waste
Disinfectant and Disinfection	Byproduc	ts <sup>(d)</sup>											
Total Trihalomethanes (TTHM) (μg/L)	80	NA	1	6.5	0.57 – 4.6	Quarterly		ICL Compliar		MCL Compliance Determined from Testing			By-product of drinking water disinfection
Haloacetic acids (five) (HAA5) (μg/L)	60	NA	1 – 2	1.7	ND – 2.5	Quarterly	Determined from Testing in the South Pasadena Distribution System			in the South Pasadena Distribution System			By-product of drinking water disinfection
Chlorine Residual (mg/L)	[4]	[4]	NA	0.49	0.2 – 1.3	Weekly							Drinking water disinfectant
Organic Chemicals													
1,2,3 Trichloropropane (ng/L)	5	0.7	5	ND	ND	Weekly	ND	ND	2023	ND	ND	2023	Discharge from industrial or agricultural activities
Carbon Tetrachloride (ng/L)	500	100	500	ND	ND	Monthly	ND	ND	2023	ND	ND	2023	Discharge from industrial activities
cis-1,2-Dichloroethylene (μg/L)	6	100	0.5	ND	ND	Monthly	ND	ND	2023	ND	ND	2023	Discharge from industrial activities
Tetrachloroethylene (PCE) (μg/L)	5	0.06	0.5	1.8	ND - 2.9	Monthly	ND	ND - 0.8	2023	ND	ND	2023	Discharge from industrial activities
Trichloroethylene (TCE) (µg/L)	5	1.7	0.5	1.1	ND – 1.9	Monthly	ND	ND - 0.7	2023	ND	ND	2023	Discharge from industrial activities
Inorganic Chemicals													
Aluminum (mg/L)	1	0.6	0.05	ND	ND	2022	ND	ND	2023	0.12	ND - 0.071	2023	Used for filtration treatment of surface water
Barium (mg/L)	1	2	0.1	ND	ND	2022	ND	ND - 0.14	2023	ND	ND	2023	Erosion of natural deposits
Bromate (μg/L)	10	0.1	1		NR			NR		2.4	ND - 12	2023	Byproduct of drinking water disinfection
Copper (mg/L) <sup>(e)</sup>	AL = 1.3	0.3	0.05		0 / 30 Samples Exceeded the Al		Determi	ICL Compliar ned from Test dena Distribu	ing in the	Determin	CL Compliar ed from Test dena Distribu		Corrosion of household plumbing system
Fluoride (mg/L) Naturally-occurring	2	1	0.1	0.74	0.67 - 0.78	2022	0.8	0.6 – 1.1	2023		NR		Erosion of natural deposits
Fluoride (mg/L) Treatment-related	2	1	0.1		NR			NR		0.7	0.6 – 0.8	2023	Water additive for dental health
Lead (μg/L) <sup>(e)</sup>	AL = 15	0.2	5		0 / 30 Samples Exceeded the Al		MCL Compliance Determined from Testing in the South Pasadena Distribution System			MCL Compliance Determined from Testing in the South Pasadena Distribution System			Corrosion of household plumbing system
Nitrate as N (mg/L)	10	10	0.4	4.9	0.47 – 7.1	Monthly	4.6	ND - 7.5	2023	0.8	0.8	2023	Leaching from fertilizer use
Perchlorate (μg/L)	6	1	2	ND	ND – 2	Monthly	ND	ND - 3.1	2023	ND	ND	2023	Discharge from industrial activities
Radioactivity													
Gross Alpha Particle Activity (pCi/L)	15	(0)	3	ND	ND	2022	8	ND - 14	2023	ND	ND	2023	Erosion of natural deposits
Gross Beta Particle Activity (pCi/L)	50	(0)	4		NR			NR		ND	ND - 6	2023	Decay of natural and man-made deposits
Uranium (pCi/L)	20	0.43	1	1.5	1.4 – 1.5	2022	8.7	3.2 – 14	2023	ND	ND – 3	2023	Erosion of natural deposits
Secondary Drinking Water St	andards –	Aesthetic S	tandards	, Not Heal	th-Related								
Aluminum (μg/L) <sup>(f)</sup>	200	600	50	ND	ND	2022	ND	ND	2023	120	ND - 71	2023	Used for filtration treatment of surface water
Chloride (mg/L)	500	NA	NA	21	20 – 22	2021	53	25 – 66	2023	44	34 – 55	2023	Runoff/leaching from natural deposits
Color (Units)	15	NA	NA	ND	ND	2021	ND	ND	2023	1	1	2023	Naturally occurring organic materials
Iron (μg/L)	300	NA	NA	ND	ND	2021	46	ND - 260	2023	ND	ND	2023	Leaching from natural deposits; industrial wastes
Odor-Threshold (Units)	3	NA	NA	ND	ND	2021	ND	ND	2023	2	2	2023	Naturally occurring organic materials
Specific Conductance (µmho/cm)	1,600	NA	NA	430	410 – 440	2021	730	520 – 880	2023	430	360 – 510	2023	Substances that form ions in water
Sulfate (mg/L)	500	NA	NA	39	31 – 46	2021	100	42 – 160	2023	62	51 – 72	2023	Runoff/leaching from natural deposits
Total Dissolved Solids (mg/L)	1,000	NA	NA	290	280 – 290	2023	470	300 – 600	2023	250	210 – 300	2023	Runoff/leaching from natural deposits
Turbidity (NTU)	5	NA	NA	0.14	0.13 – 0.15	2021	0.3	ND - 1.1	2023	ND	ND	2023	Soil runoff

City of South Pasadena 2023 Water Quality (Table 2 of 2)													
				SOUTH PASADENA GROUNDWATER			PASADENA GROUNDWATER (Pasadena Zone Only)			METROPOLITAN IMPORTED WATER			
Constituents and Measurement Units	MCL or [MRDL]	PHG (MCLG) or [MRDLG]	DLR	Result <sup>(a)</sup>	Range	Most Recent Test	Result <sup>(a)</sup>	Range	Most Recent Test	Result <sup>(a)</sup>	Range	Most Recent Test	Typical Origins
Unregulated Chemicals													
Alkalinity (mg/L)	NA	NA	NA	120	120	2021	170	130 – 200	2023	72	65 – 78	2023	Runoff/leaching from natural deposits
Calcium (mg/L)	NA	NA	NA	39	37 – 40	2021	82	58 – 110	2023	24	20 – 28	2023	Runoff/leaching from natural deposit
Chromium, Hexavalent (µg/L)	NA	0.02	NA	5.1	4.2 – 6	2022	3.4	1.3 – 8.6	2023	ND	ND	2023	Erosion of natural deposits; industrial waste discharge
Magnesium (mg/L)	NA	NA	NA	12	11 – 12	2021	24	12 – 32	2023	10	7.8 – 13	2023	Runoff/leaching from natural deposit
pH (pH units)	NA	NA	NA	8	8	2021	7.9	7.6 – 8	2023	8.6	8.6	2023	Runoff/leaching from natural deposits
Potassium (mg/L)	NA	NA	NA	1.8	1.7 – 1.9	2021	2.3	1.9 – 2.8	2022	2.8	2.6 – 3	2023	Runoff/leaching from natural deposits
Other Constituents of Intere	est												
Hardness as CaCO <sub>3</sub> (mg/L)	NA	NA	NA	150	140 – 150	2021	290	190 – 370	2023	100	81 – 120	2023	Runoff/leaching from natural deposits
Sodium (mg/L)	NA	NA	NA	38	32 – 43	2021	32	22 – 52	2023	47	39 – 55	2023	Runoff/leaching from natural deposits
Unregulated Chemicals Req	uiring Moni	toring											
Manganese (μg/L) <sup>(g)</sup>	SMCL = 50	NA	NA	4.3	0.58 – 8	2019		NR		3	1.2 – 3.7	2019	Erosion of natural deposits
Unregulated Chemicals Req	uiring Moni	toring in the	Distrib	ution Syste	em								
Haloacetic acids (HAA5) (μg/L)	NA	NA	NA	0.42	ND - 1.5	2019	Testing in the South Pasadena Distribution System			Testing in the South Pasadena Distribution System			Byproducts of drinking water disinfection
Haloacetic acids (HAA6Br) (μg/L)	NA	NA	NA	0.43	ND - 1.5	2019							Byproducts of drinking water disinfection
Haloacetic acids (HAA9) (μg/L)	NA	NA	NA	0.54	ND - 2.2	2019							Byproducts of drinking water disinfection

#### **NOTES:**

mg/L = parts per million or milligrams per liter; AL = Action Level; ND = Not Detected at DLR;

**μg/L** = parts per billion or micrograms per liter; **DLR** = Detection Limit for Purposes of Reporting;

 ${\bf NA}={\sf No\,Applicable\,Limit}$  or Data;  ${\bf pCi/L}={\sf picoCuries\,per\,liter};$   ${\bf NL}={\sf Notification\,Level};$ 

 $\textbf{MCL} = \text{Maximum Contaminant Level}; \\ \textbf{\mu mho/cm} = \text{micromhos per centimeter}; \\ \textbf{}$ 

MCLG = Maximum Contaminant Level Goal; MRDL = Maximum Residual Disinfectant Level;

PHG = Public Health Goal; NTU = Nephelometric Turbidity Units; NR = Not Required to be Sampled;

MRDLG = Maximum Residual Disinfectant Level Goal; SMCL = Secondary MCL

- (a) The results reported in the table are average concentrations of the constituents detected in your drinking water during year 2023 or from the most recent tests, except for filter effluent turbidity, TTHM, HAA5, chlorine residual, lead, and copper which are described below.
- (b) Turbidity is a measure of the cloudiness of the water, an indication of particulate matter, some of which might include harmful microorganisms that are difficult to detect, such as the parasites Giardia and Cryptosporidium. Consistently low turbidity in Metropolitan's filtered water indicates complete removal of any harmful microorganisms that may be present. The table gives the highest single turbidity measurement that was recorded and the lowest monthly percentage of samples meeting the requirements of the surface water treatment technique.

- (c) Routine and repeat samples are total coliform-positive and either is E. coli-positive or system fails to take repeat samples following E. coli-positive routine sample or system fails to analyze total coliformpositive repeat sample for E. coli.
- (d) Samples were collected in the City of South Pasadena distribution system. The running annual averages and the range of the individual results for chlorine residuals, TTHM and HAA5 are reported.
- (e) Thirty lead and copper samples were collected in July 2021, August 2021, and September 2021 at residential taps. The 90<sup>th</sup> percentile concentration is reported in the table. Out of 30 residences sampled, copper was detected at or above the DLR in 23 samples but none exceeded the Action Level. Out of 30 residences sampled, lead was detected above the DLR in three samples, but none exceeded the Action Level.
- (f) Aluminum also has a secondary MCL of 200 μg/L.
- (g) Manganese is regulated with a secondary standard of 50 μg/L but was not detected, based on the DLR of 20 μg/L. Manganese was included as part of the unregulated chemicals requiring monitoring.

For more information or questions, please contact Public Works Department, City of South Pasadena, 825 Mission Street, South Pasadena, California 91030. Telephone: (626) 403-7240.

The Quality of Your Water is Our Highest Priority

Turn the tap and the water flows, as if by magic. Or so it seems. The reality is considerably different, however. Delivering high-quality drinking water to our customers is a scientific and engineering feat that requires considerable effort and talent to ensure the water is always there, always safe to drink.

Because tap water is highly regulated by state and federal laws, water treatment and distribution operators must be licensed and are required to complete on-the-job training and technical education before becoming a state certified operator.

Our licensed water professionals have an



understanding of a wide range of subjects, including mathematics, biology, chemistry, physics, and engineering. Some of the tasks they complete on a regular basis include:

- Operating and maintaining equipment to purify and clarify water;
- Monitoring and inspecting machinery, meters, gauges, and operating conditions;
- Conducting tests and inspections on water and evaluating the results;
- Documenting and reporting test results and system operations to regulatory agencies; and
- Serving our community through customer support, education, and outreach.

So, the next time you turn on your faucet, think of the skilled professionals who stand behind every drop.

## Important Water-Related Facts You Need to Know

**Disinfection:** Water provided by the City contains chlorine used for disinfection and chloramines used by Metropolitan, also for disinfection purposes. Customers on kidney dialysis should consult their physicians.

**Fish or Amphibians:** If you have fish or amphibians, make sure to remove any chloramines and chlorine before changing or adding water to the tanks. Remember, allowing drinking water to stand will not remove chloramines. Consult your local aquarium store for products that will remove the disinfectants.



**Hot Water Heaters:** Many odor complaints may be traced to the home's hot water heater. Remember to follow manufacturer's instructions and flush hot water heaters regularly. This will flush out any sediments that

may have accumulated, provide good water turnover to maximize water quality, and help keep your unit in good working order.

**Point of Use or Home Water Filtration Units:** Be vigilant in changing or cleaning any filters or media on your home units. Always follow the manufacturers instructions. Remember, the water is only as clean as the filter allows. Improperly maintained filters can deliver very poor quality water.

## REDUCE YOUR USE

Make Water Conservation a Way of Life

Southern California has an arid climate and the need for wise water use must remain a part of everyone's daily lives. Simple water saving acts like the ones listed here can save countless gallons of water every day.



Soak pots and pans instead of letting water run while you scrub them clean. *This both saves water and makes the job easier.* 



Keep a pitcher of drinking water in the refrigerator. *This can save gallons of water every day and it's always cold!* 



Plug the sink instead of running water to rinse your razor or wet your toothbrush. *This can save upwards of 300 gallons of water a month.* 



Water plants in the early morning. It reduces evaporation and ensures deeper watering.



Use a broom instead of a hose to clean off sidewalks and driveways. It takes very little time to sweep and the water savings quickly adds up.



Check your sprinkler system for leaks, overspray, and broken sprinkler heads and repair promptly. *This can save countless gallons each time you water.* 

#### Want Additional Information?

There's a wealth of information on the internet about Drinking Water Quality and water issues in general, especially the drought and conservation. Some good sites — both local and national — to begin your own research are:

City of South Pasadena Water: www.southpasadenaca.gov
U.S. Environmental Protection Agency: www.epa.gov/safewater
State Water Resources Control Board, Division of Drinking Water
www.waterboards.ca.gov/drinking\_water/certlic/drinkingwater/
publicwatersystems.shtml

Metropolitan Water District of Southern California www.mwdh2o.com

Drought and Water Conservation Tips
www.BeWaterWise.com • www.SaveOurWater.com

Rebate Information, Water Saving Resources www.SoCalWaterSmart.com



#### City of South Pasadena Public Works Department

1414 Mission Street • South Pasadena, CA 91030 www.southpasadenaca.gov